



### PRO Nature

can provide.

One of the most remarkable features of VitrA PRO Nature porcelain tiles is paramount strength, durability and the performance they provide. Porcelain tiles do not get scratched by hard surfaces, unlike the natural materials and are resistant against shocks and overloads. Therefore, they can be safely preferred in high-traffic areas such as shopping centres, cafes, restaurants and offices as well as in spaces where surface-scratching items such as chairs and tables are heavily used.

### Hygienic, easy to clean.

VitrA PRO Nature porcelain tiles are extremely easy to clean and resistant against cleaning chemicals when compared with many natural materials. Therefore, thanks to their hygienic feature, they can safely be used in educational establishments, hospitals and in high-traffic areas which require frequent cleaning.

### Long-lasting, colour-fast.

### Safe to use in outdoors.

VitrA PRO Nature porcelain tile is a product which can be used hassle-freely in outdoors for many years, as it is strong and durable. It is not affected by hot and cold temperature changes, resistant against rain, snow and frost. It is ideal for outdoor spaces such as courts and terraces.

### Creates warm spaces.

VitrA PRO Nature porcelain tiles offer freedom in designing vivid and amiable residential and public spaces such as restaurant, café, hotel etc., with atmospheres warm as much as the natural material

### Durable, scratch-proof.

VitrA PRO Nature porcelain tiles are quite sun friendly, not affected by the sun as the natural materials such as wood might have both in floor and wall applications. They maintain their brilliant brand-new appearance under all conditions. Hence, they are used hassle-freely in indoor areas such as homes, offices and shops as

well as in outdoor areas such as balconies and terraces without losing their textural properties.

# VitrA Life Solutions

The design raised with functionality





V-Safe

Guaranteed safety with anti-slip surface technology



**E** 

V-Safe Mini

V-Safe Wet

igh anti-slip performance with wear resistant and eatherproof technology designed for outdoor are



V-Safe Industrial High level of slip resistance for industrial areas



### VitrA Glowsafe

Glow in the dark for a safe walk in all living areas

### VitrA reaLook

The most refined state of design to living spaces for ever-lasting look



Smart surface technologies for hygienic living spaces



**V-Agent** No room for viruses

VitrA Shield Self-cleaning technology that inhibits th bacteria



VitrA Clean Ultra-easy to clean floor and wall tiles



### VitrA Solid

Long-lasting performance and quality



Stair tiles that harvest the day light and reflect its energy in the night for a safe walk both in indoor and outdoor areas

Pure concrete - Combining the simplicity, architectural profoundness and endurance

Stone code - The secret of nature, which will never fade away

Calabra .

Marble dream - Nature's most precious treasure that combines modern life passion with prominent classical taste

Wood obsession - Warm and light-weighted lifelike texture

**VitrA Protect+** Very fine glaze application against abrasion and colour fading

VitrA Block Like the first day: Protection against yellowing

VitrA Professional Fullbody and colorbody tiles that are extra resistant to harsh conditions in industrial and commercial areas

Brochures



# Cemental

Uniting the aesthetic with technology, the allure of metal and concrete, the Cemental Collection offers a novel and holistic approach to design. The chic exposed concrete texture paired with a metallic finish, coupled with its anti-slip property, presents a suave yet practical choice for residential and commercial spaces. Cemental offers a very wide range of sizes from a large 120x120 cm to smaller dimensions. Each tile is a symphony of hybrid texture and minimalist design, punctuated by its complementary pieces and dotted pattern decor to provide a functional and sophisticated style.



Colorbody porcelain

EN14411 Group Bla

### Base Tiles



White

Novelty



Grey



Black









Soft R10B







Product standard



### Decors



Cut border White



Cut border Grey



Cut border Black

## Cemental



120x120 Light clay

140x240 5 Canvases



Thickness 60x120 (24"x48" R 597x1197 Colorbody porcelain Surface White R10B K953030R0001V 9 mm Grey R10B 9 mm K953036R0001VT Black R10B K953031R0001VT 9 mm 
 Thickness
 30x30 (12"x12")

 R 298x298
Decors Surface White R10B 9 mm K9530898R001VT Grey R10B 9 mm K9530828R001VT Black R10B K9530858R001VTE0 9 mm

Sizes	Thickness		Box			Pallet	
	(mm)	(mm) Pcs		kg	Box	m²	kg
Colorbody porcelain							
60x120 Rectified	9	2	1,44	26,8	36	51,84	1024,2
30x30 Cut border	9	8	0,72	13,4	35	25,20	493,0



140x240 5 Canvases

)
TSP
rsp
TSP
EO
EO

## Meteorite

A testament to detailed research and artful reinterpretation, Meteorite captures the raw potency of natural stone textures, setting a foundation for organic and sophisticated spaces. Its compatibility with other VitrA collections adds versatility, enabling the possibility of crafting powerful and dynamic moods. At 60x60 cm and 60x120 cm sizes in five captivating colours, Meteorite reveals the beauty of the raw stone, highlighting the natural vein patterns on its surfaces to create new surfaces from the combination of different stone types.



Colorbody porcelain

### Base Tiles

Novelty



Light cream



Beige







Dark grey













Product standard EN14411 Group Bla Footnotes

# Meteorite




Colorbo	dy porcelain	Surface	Thickness	<b>60x120</b> (24"x48") R 597x1197
1	Light cream	R10B	9 mm	K953574R0001VTSP
	Beige	R10B	9 mm	K953048R0001VTSP
	Grey	R10B	9 mm	K953043R0001VTSP
	Dark grey	R10B	9 mm	K953046R0001VTSP

Sizes	Thickness Box			Pallet			
	(mm)	Pcs	m²	kg	Box	m²	kg
Colorbody porcelain							
60x120 Rectified	9	2	1,44	28,1	36	51,84	1035,9

60x120 Grey

9 Faces



Part

Wall tiles : K953046R0001VTSP 60x120 Meteorite Dark grey Porcelain floor tiles : K953043R0001VTSP 60x120 Meteorite Grey

9 Faces

10



# Resincrete

VitrA's new tile system Resincrete is designed to stimulate emotions in living spaces by using colours, which are the most powerful form of self-expression, and to draw forth bursts of creativity. The texture of concrete blends with resin in a myriad of colour and surface options in Resincrete, designed for urban living spaces at the intersection of nature's colours with concrete, the basic element of modern urban architecture. Resincrete Tiles are designed using the powerful colours and oxides found in soil and nature, featuring surfaces that have epoxy-like casting, combining easily with the classical beauty of terrazzo and palladiano textures to create striking living spaces.



### Colorbody porcelain

### Base tiles



White neutral

Cotto



Neutral grey





White fango



12














Product standard EN14411 Group Bla







Palladiano Fango






# Resincrete



120x120 White neutral

7 Faces



Colorbo	dy porcelain	Surface	Thickness	<b>120x120</b> (48" R 1197x1197	′x48″)	
	White neutral	R10	9 mm	K952215R000	)1VTS0	
	Neutral grey	R10	9 mm	K952214R000	)1VTS0	
	White fango	R10	9 mm	K952217R000	)1VTS0	
	Fango	R10	9 mm	K952218R000	)1VTS0	
	Cotto	R10	9 mm	K952219R000	)1VTS0	
	Neutral grey	R9	9 mm	K952221R000	)1VTS0	
	Fango	R9	9 mm	K952223R000	)1VTS0	
Sizes			Thickness		€ Bo	
0.200			(mm)	Pcs	m	
Colorboo	ly porcelain					
120x120	Rectified		9	1	1,	
Wa						
KQL	l tiles : 221480001VT	50 120 120	O Resincrete I	Neutral grov		



### VTS0 VTS0 VTS0 VTS0 VTS0 VTS0 ) Pallet (1) Box kg m² ${\rm m}^2$ Box kg



# LightStone

Living spaces designed with VitrA's LightStone System reflect the pure relationship with nature, offering a sensation of comfort and tranquility. LightStone helps to create relaxed living spaces through the connection with nature's serene yet dynamic energy. VitrA Tiles' new Lightstone System merges different natural stone looks in three, compatible light colour tones to soothe the soul. Underpinned by a oneness with nature using natural stone textures and light colour tones in pursuit of a clean look, this system is about finding relaxing and serene atmospheres.



### Colorbody porcelain

### Base Tiles



Traverten White



Traverten Light cream



Traverten Light grey











Product standard EN14411 Group Bla Footnotes



Fossile White




Fossile Light cream



Fossile Light grey

# LightStone



60x120 Terre Crude White

300x120 3 Canvas (10,8 m<sup>2</sup>)

	and the second s		
	the second second second second second	the second se	
	and the second s		
	and the second se		
	and the second se		
		and it is a subject to the subject t	
	the second se		
	the second s		
	the second se	the second	
	the second se		
	the second se		
	the second second		
	Name and Address of the Owner o		
	the second s		
	Non the second s	The second s	and the second sec
	and the second se		
	ALL AND AL		
	and the second sec		
	and the second s		
	and the second se		
and the second se	and the second		
	and the second sec		
	the second se		
	and the second se		
	A R. S. Marrier West, Press		
		and the second se	
		the second se	
			and the second sec
the summer of			
	and the second	and the second sec	
	the second se		and the second se
	The state of the second		and the second se
		and the second s	the second se
			the second se
	Summer in succession of a succession	the second se	
	and the second sec		
	the second se	All and a second s	



Colort	oody porcela	ain			
		Surface	Thickness	<b>60x60</b> (24"x24") R 597x597	<b>30x60</b> (12"x24") R 297x597
	Traverten White	R10A	9 mm	K952053R0001VTE0	K952900R0001VTE0
	Traverten Light cream	R10A	9 mm	K952251R0001VTE0	K952902R0001VTE0
	Traverten Light grey	R10A	9 mm	K952243R0001VTE0	K952901R0001VTE0
	Fossile White	R10A	9 mm	K952060R0001VTE0	K952903R0001VTE0
	Fossile Light cream	R10A	9 mm	K952257R0001VTE0	K952905R0001VTE0
	Fossile Light grey	R10A	9 mm	K952249R0001VTE0	K952904R0001VTE0

Sizes	Thickness		Box			Pallet	
	(mm)	Pcs	m²	kg	Box	m²	kg
Colorbody porcelain							
60x60 Rectified	9	4	1,44	26,93	30	43,2	833
30x60 Rectified	9	6	1,08	20,20	40	43,2	833



60x120 Traverten Light grey

300x120 3 Canvas (10,8 m<sup>2</sup>)

# Ardesia Stone

Reflecting the swirls of colour and patterns as slate interacts with different minerals in its most natural form, the Ardesia Stone Collection twists the natural surface textures of the stone it is inspired by, to render an urban character.

Wall tiles : K952107R0001VTSP 60x120 Ardesia Stone Grey Porcelain floor tiles : K952107R0001VTSP 60x120 Ardesia Stone Grey Colorbody porcelain





Light cream





Anthracite













Product standard EN14411 Group Bla



# Ardesia Stone



Colorbody po	orcelain	Surface	Thickness	<b>60x120</b> (24"x48") R 597x1197	<b>60x60</b> (24″x24″) R 597x597
Light	cream	R10B	9 mm	K952109R0001VTSP	K952113R0001VTE0
Grey	1	R10B	9 mm	K952107R0001VTSP	K952111R0001VTE0
Anth	racite	R10B	9 mm	K952108R0001VTSP	K952112R0001VTE0

Sizes	Thickness		Box			) Pallet	
	(mm)	Pcs	m²	kg	Box	m²	kg
Colorbody porcelain							
60x120 Rectified	9	2	1,44	29,52	36	51,84	1098
60x60 Rectified	9	4	1,44	26,93	30	43,2	833

60x120 Light cream

7 Faces





## Quarstone

Stone textured porcelain collection that carries the strong and calm nature of quartzite stone. Reflecting the natural glittering of quartzite particles, Quarstone collection provides the opportunity to create harmonious combinations with other building elements in all living spaces through its warm and cold colour alternatives. Thanks to its surface texture closest to nature, it reflects the strong stone character from exteriors to the interior, thus creating the serene mood of an intimate shelter in indoors.



### Colorbody porcelain

### Base tiles



White



Beige








Anthracite



Footnotes

Product standard EN14411 Group Bla

## Quarstone



60x120 White

132x132 8 Canvas (13,9 m<sup>2</sup>)



60x120 Anthracite

132x132 8 Canvas (13,9 m<sup>2</sup>)

Colorbody porcelain	Surface	Thickness	<b>60x120</b> (24"x48") R 597x1197	<b>60x60</b> (24"x24") R 597x597	<b>30x60</b> (12"x24") R 297x597
White	R10B	9 mm	K951803R0001VTSP	K951809R0001VTE0	K951813R0001VTE0
White	R11	20 mm		K951832R0001VTE1	
Beige	R10B	9 mm	K951804R0001VTSP	K951810R0001VTE0	K951814R0001VTE0
Deige	R11	20 mm		K951833R0001VTE1	
Grey	R10B	9 mm	K951805R0001VTSP	K951811R0001VTE0	K951815R0001VTE0
Grey	R11	20 mm		K951834R0001VTE1	
Anthracite	R10B	9 mm	K951806R0001VTSP	K951812R0001VTE0	K951816R0001VTE0
Antillacite	R11	20 mm		K951835R0001VTE1	

Sizes	Thickness		Box			Pallet	
	(mm)	Pcs	m²	kg	Box	m²	kg
Colorbody porcelain	I						
60x120 Rectified	9	2	1,44	29,75	36	51,84	1.105
60x60 Rectified	9	4	1,44	26,5	30	43,20	835
60x60 Rectified	20	2	0,72	31,68	30	21,60	975
30x60 Rectified	9	6	1,08	20,20	40	43,20	833



# SET6.0

SET6.0 collection, consisting of concrete and stone-textured tiles, offers a wide range of options for interior designs with its compatible wall and porcelain tiles. 30x60 sized wall tiles add a modern atmosphere to residential living spaces with their decors reflecting the latest design trends.



### Wall tiles

Base Tiles

Basic white

Basic soft grey

Basic dark grey

### Product standard EN14411 Group BIII


### Decors



Kitkat white

















Quarzite anthracite







### Footnotes **F**

	the second se	

1.00			
		 	Contraction of the local division of the loc
		-	
		 -	
1	<u>}</u>	-	

### Kitkat dark grey

1. 19 1	and the second division of the second divisio		
	00		

### Basic dark grey

# SET6.0

Glazed porcelain



Footnotes (F)

Product standard EN14411 Group Bla






Basic white



Basic soft grey



Basic dark grey



Terrazzo white



Terrazzo soft grey



30x60 Limestone dark grey

90x350 1 Canvases (3,15 m<sup>2</sup>)



30x60 Quarzite anthracite

90x350 1 Canvases (3,15 m<sup>2</sup>)

# SET6.0

Wall tile	S	Surface	Thickness	<b>30x60</b> (12"x24") 298x598
	Basic white	Matt	7,5 mm	K95077000001VTET
	Basic soft grey	Matt	7,5 mm	K95077100001VTET
	Basic dark grey	Matt	7,5 mm	K95077200001VTET
	Limestone white	Matt	9 mm	K95077900001VTE0
	Limestone dark grey	Matt	9 mm	K95078000001VTE0
	Quarzite anthracite	Matt	9 mm	K95078300001VTE0

Γ

Decors	Surface	Thickness	<b>30x60</b> (12"x24") 297x597
Kitkat white	Matt	7,5 mm	K95077400001VTET
Kitkat soft grey	Matt	7,5 mm	K95077500001VTET
Kitkat dark grey	′ Mat	7,5 mm	K95077600001VTET
Kitkat mix	Matt	7,5 mm	K95077800001VTET

Glazed	porcelain	Surface	Thickness	<b>60x60</b> (24"x24") R 597x597
	Basic white	R10A	9 mm	K950785R0001VTE0
	Basic soft grey	R10A	9 mm	K950786R0001VTE0
	Basic dark grey	R10A	9 mm	K950787R0001VTE0
	Terrazzo white	R10A	9 mm	K950792R0001VTE0
	Terrazzo soft grey	R10A	9 mm	K950793R0001VTE0

Sizes	Thickness	Box			Pallet			
Sizes	(mm)	Pcs	m²	kg	Box	m²	kg	
Wall tiles								
30x60 Non-rectified	9	6	1,08	15,93	48	51,84	790	
30x60 Non-rectified	7,5	7	1,26	15,37	48	60,48	763	
30x60 Decor	7,5	7	1,26	15,37	48	60,48	763	
Glazed porcelain								
60x60 Rectified	9	4	1,44	27,00	30	43,20	835	



# Urbancrete



### Colorbody porcelain

Base tiles



White



A colorbody porcelain collection that infuses a modern, architectural look into the timeless and robust character of exposed concrete. Urbancrete completes the sophisticated mix of warm and cold colours of the ColorCode approach with ethnic and geometric hexagonal decorative tiles. Highly durable, with a powerful anti-slip surface that is easy to clean, the Urbancrete Porcelain Collection can be used in high traffic areas for many years.





Footnotes













Product standard EN14411 Group Bla



Grey

# Urbancrete



80x80 Grey

12 Faces (88x88)



Colorbo	ody porcelain	Surface	Thickness	<b>60x120</b> (24"x48") R 597x1197	<b>80x80</b> (32"x32") R 797x797	<b>60x60</b> (24"x24") R 597x597
	White	R10A	9 mm	K947465R0001VTSP	K947182R0001VTET	
	Crow	R10A	9 mm	K947468R0001VTSP	K947083R0001VTET	
	Grey	R11	20 mm			K950459R0001VTE1
	Dark grou	R10A	9 mm	K947466R0001VTSP	K947183R0001VTET	
100	Dark grey	R11	20 mm			K950462R0001VTE1
	Anthracite	R11	20 mm			K950463R0001VTE1

			B					
Sizes	Thickness	Вох			Pallet			
	(mm)	Pcs	m²	kg	Box	m²	kg	
Colorbody porcelain								
60x120 Rectified	9	2	1,44	29,52	36	51,84	1.098	
80x80 Rectified	9	2	1,28	24,50	44	56,32	1.103	
60x60 Rectified	20	2	0,72	31,68	30	21,60	975	



12 Faces (88x88)

# Cardostone



### Colorbody porcelain

Base tiles



Beige





Anthracite

A colorbody porcelain collection inspired by the durable Cardoso stone of the Italian Alps. Cardostone offers the quintessential white veins of Cardoso stone in natural grey and anthracite colours as well as in a cooler beige and white colour choices. The relief surface option, which creates the most realistic appearance of the original stone's texture, reflects Cardostone's powerful nature. Highly antislip, easy to clean, and available in a thickness particularly suitable for exteriors, Cardostone perfectly complements all contemporary venues.

















Product standard EN14411 Group Bla Footnotes

# Cardostone



60x120 White

126x88 8 Canvases (8,8 m<sup>2</sup>)



60x120 Anthracite

126x88 8 Canvases (8,8 m<sup>2</sup>)

Colorbo	dy porcelain	Surface	Thickness	<b>60x120</b> (24"x48") R 597x1197	<b>80x80</b> (32"x32") R 797x797	<b>60x60</b> (24"x24") R 597x597	<b>30x60</b> (12"x24") R 297x597
	White	R10A	9 mm	K947412R0001VTSP	K947260R0001VTET	K947094R0001VTE0	K949111R0001VTE0
136	White	R11	20 mm			K947548R0001VTE1	
523	Roigo	R10A	9 mm	K947413R0001VTSP	K947261R0001VTPT	K947095R0001VTP0	K949755R0001VTP0
Beige		R11	20 mm			K947549R0001VTE1	
N.	Grey	R10A	9 mm	K947411R0001VTSP	K947093R0001VTET	K947263R0001VTE0	K949102R0001VTE0
1.	Grey	R11	20 mm			K947547R0001VTE1	
	Anthracite	R10A	9 mm	K947414R0001VTSP	K947262R0001VTET	K947096R0001VTE0	K949110R0001VTE0
	Antinacite	R11	20 mm			K947550R0001VTE1	

Sizes	Thickness				Pallet		
5,205	(mm)	Pcs	m²	kg	Box	m²	kg
Colorbody porcelain							
60x120 Rectified	9	2	1,44	29,52	36	51,84	1.098
80x80 Rectified	9	2	1,28	24,50	44	56,32	1.103
60x60 Rectified	9	4	1,44	26,90	30	43,20	832
60x60 Rectified	20	2	0,72	31,68	30	21,60	975
30x60 Rectified	9	6	1,08	18,60	40	43,20	829



# Stonelevel

A colorbody porcelain collection combining the look and feel of concrete and stone. Stonelevel merges the granulated structure of natural stone into the texture of exposed concrete and adds warm natural colours to create a one-ofa-kind natural stone collection. The collection's modular sizes and decorative tiles with organic relief patterns can be mixed and matched to create a wide variety of tiling solutions.



### Colorbody porcelain

### Base tiles



lvory



Greige



Basalt















Product standard EN14411 Group Bla Footnotes



# Stonelevel



Colorbody porcelain	Surface	Thickness	<b>60x60</b> (24"x24") R 597x597	<b>30x60</b> (12"x24") R 297x597
lvory	R10A	9 mm	K947099R0001VTE0	K947295R0001VTE0
Greige	R10A	9 mm	K947293R0001VTE0	K947415R0001VTE0
Basalt	R10A	9 mm	K947100R0001VTE0	K947296R0001VTE0

Sizes	Thickness (mm)	Box			Pallet		
		Pcs	m²	kg	Box	m²	kg
Colorbody porcelain							
60x60 Rectified	9	4	1,44	26,90	30	43,20	832
30x60 Rectified	9	6	1,08	20,13	40	43,20	830

80x80 Cream


9 Faces (88x88)





# Craft

VitrA is inspired by the characteristic structure of oak, which has been used in architecture for centuries, and which transforms within the course of time, and reshapes it. Through the time approach that adds meaning and depth to wood; the new VitrA tile collection Craft makes a difference with its sophisticated texture and streaks. With delicately selected texture and five different colours, Craft Collection presents the freedom of design with 20 mm tiles specifically developed for outdoor use.



### Glazed porcelain

### Base tiles





Beige



Oak





Dark oak















Product standard EN14411 Group Bla





47

# Craft



Glazed p	oorcelain	Surface	Thickness	<b>20x120</b> (8"x48") R 197x1197
	Light greige	R10A	10 mm	K948930R0001VTE0
-	Beige	R10A	10 mm	K948932R0001VTE0
i Car	Oak	R10A	10 mm	K948934R0001VTE0
-	Greige	R10A	10 mm	K948931R0001VTE0
-	Dark oak	R10A	10 mm	K948933R0001VTE0

Sizes	Thickness (mm)	Box			Pallet		
		Pcs	m²	kg	Box	m²	kg
Glazed porcelain							
20x120 Rectified	10	4	0,96	20,50	48	46,08	1.009

20x120 Greige

12 Faces (132x24)





20x120 Dark oak

# Versus - M


A ceramic series using silver fantasy marble with hues which are closest to its natural colour. Presented with porcelain tiles in addition to its wall tiles, Versus is enriched with contrasts creating a sense of minimalism and modernity in all spaces. The contrast created by the cool marble tissue with glossy stainless steel bars of bronze colour gives a brand new outlook to walls.



### Wall tiles

### Base tiles





Grey

Wall tiles	Surface	Thickness	<b>30x60</b> (12"x24") 298x598
White	Glossy	9 mm	K94124300001VTE0
Grey	Glossy	9 mm	K94125400001VTE0

Sizes	Thickness (mm)	Box			Pallet		
51205		Pcs	m²	kg	Box	m²	kg
Wall tiles							
30x60 Non-rectified	9	6	1,08	15,93	48	51,84	790









Product standard EN14411 Group BIII

Footnotes


## retromix


A ceramic collection which re-interprets traditional tile patterns to be used in modern space design. retromix focuses on geometric forms in traditional patterns from a wide variety of geographies that have become universal in the course of time. Wall tiles reflect traces of the past in ethnic colours that also suggest a sense of being handmade. Available in 10x10 and 15x15 square formats, retromix offers both ease of application and a wide range of laying options that allows creativity.



### Glazed porcelain

### Black & white / Siyah & beyaz





Cold




Large



Cold grey / Soğuk gri

Warm





Medium








### Product standard

EN14411 Group Bla



# retromix

Black & white			
	Surface	Thickness	<b>15x15</b> (6″x6″) 147x147
Black	Matt	9 mm	K94902400001VTE0
White	Matt	9 mm	K94902500001VTE0
Large Circle	Matt	9 mm	K94845000001VTE0

Cold				
		Surface	Thickness	<b>15x15</b> (6″x6″) 147x147
	Cold grey	Matt	9 mm	K94902300001VTE0
$\bigcirc$	<b>Large</b> Star	Matt	9 mm	K94844800001VTE0

### Warm

	S	Surface		<b>15x15</b> (6"x6") 147x147
Warm	grey N	Matt	9 mm	K94902600001VTE0
Mediu Circle	I <b>m</b>	Matt	9 mm	K94843100001VTE0

Sizes	Thickness (mm)	Box			Pallet		
		Pcs	m²	kg	Box	m²	kg
Glazed porcelain							
15x15 Non-rectified	9	11	0,25	4,58	165	41,25	780



### Headquarters

### VitrA Karo San. ve Tic. A.Ş.

Büyükdere Cad. Ali Kaya Sok. No: 5 Levent, 34394 İstanbul Phone: +90 (212) 350 80 00 Fax: +90 (212) 350 85 58

### **Regional offices**

### VitrA UK Ltd.

Park 34 Collet Way, Didcot Oxon Ox11 7WB, UK Phone: +44 (1235) 750 990 Fax: +44 (1235) 750 985

### VitrA Fliesen GmbH-Co. KG.

Brucknerstrasse 43 56566 Neuwied, Germany Phone: +49 (2622) 7007-0 Fax: +49 (2622) 7007-60

### VitrA Plitka LLC

142253, bld. 1, Bolshevik Settlement, Serpukhov District, Moscow Region, Russia Phone: +7 (496) 738 06 08 Fax: +7 (495) 520 78 76

### **Flagship showrooms**

VitrA Nişantaşı Vali Konağı Cad. No: 24, Nişantaşı Şişli, İstanbul Phone: +90 (212) 233 07 78 Fax: +90 (212) 232 94 67

### VitrA Suadiye

VitrA Suadiye (Cavit Paşa Köşkü) Bağdat Cad. 493-1, Bostancı Kadıköy, 34744 İstanbul Phone: +90 (216) 467 06 40

### VitrA Cologne

Agrippinawerft 24 D-50678 Köln, Cologne Phone: +49 (221) 27 73 68-0 Fax: +49 (2622) 88 95 500

### VitrA London

Unit 2 64 Turnmill Street EC1M 5RR London E-mail: london@vitra.co.uk

### VitrA Moscow

Varshavskoe Highway, 9, Bld.1 "Danilovskaya Manufaktura" Office Center 117105 Moscow Phone / Fax: +7 (495) 221 76 11

### VitrA UAE

2020 Building - Al Quoz 3 Plot 27 Showroom No: 7 Sheikh Zayed Road -Dubai/UAE Phone: +971 (4) 547 8045

vitraglobal.com

### Footnotes

Suitable for both wall and floor.

- B Each tile has different shades of the colour and slightly different designs to give real natural stone, marble, wood or cement impression.
- R The edges are rectified.

### Attention

When ordering ceramic tiles specify the areas of use. Before tile setting, verify the tonality and calibration numbers, claims regarding these indications cannot be accepted after tile setting

Crazing of glass borders is a nature of the ceramic tiles. It is recommended to use VitrA Fix grout and adhesive materials with VitrA Ceramic Tiles.

The colours of tiles in the catalogue may not reflect the exact colours of the products. For the compatibility of the products to be used with complementary parts, a special order note should be added requesting the simultaneous production of all tiles. There may be a colour

tone difference in products produced at different times. VitrA Karo San. ve Tic. A.Ş. reserves the right to change the products and technical specifications.

For other technical details, please visit www.vitraglobal.com and review VitrA Cleaning and Maintenance Instructions and Warranty Conditions.

# VitrA

